


## Part # 240 Tire Sealant Pump

### INSTALLATION INSTRUCTIONS

The model 240 tire sealant pump comes in 3 major parts: (1) 240-001 T handle pump body, (2) 240-123 Cover and (3) 240-122 Hose with connectors.

- A. Insert 240-001 pump body through 240-123 cover.
- B. Place cover on container of tire sealant compound, pushing pump to bottom of container. Tighten 104004 (3 ea.) thumb screw on outer edge of 240-123. Tighten locking collar screw on 240-123 cover.
- C. Attach 240-121 hose to female outlet in T-handle to complete assembly.



### Warranty Exclusions

National-Spencer, Inc. does not manufacture, distribute or sell puncture sealing or tire balancing materials and assumes no responsibility for the failure of these products to perform satisfactorily or for any damage caused by the use of these products.

240 pump is manufactured from bare carbon steel and will readily rust or otherwise corrode when exposed to materials containing water or other corrosion causing substances. Our two year warranty against defects in material or workmanship **DOES NOT** cover any pump showing evidence of rust or corrosion.

<u>Part Number</u>	<u>Description</u>
240-001	Pump Assembly
240-111	Set Screw Collar
240-115	Return Valve for Cover
240-122	5 ft. clear vinyl hose with 3/8" NPT and 1/4" NPT to use with 240-127 quick coupler
240-123	Cover Assembly (1 1/4" ID) with hole for 240-115 return valve
240-127	Quick Connect Coupler 1/4" NPT (F)
104004 (3)	Thumb screw for cover

04/17/07

# APPLICATION CHARTS FOR HEAVY EQUIPMENT

*Use off-Road or Heavy Off-Road Product*

<u>Tire Size</u>	<u>Ounces</u>	<u>Tire Size</u>	<u>Ounces</u>	<u>Tire Size</u>	<u>Ounces</u>
<b>15" Rims</b>		<b>22.5" Rims Continued</b>		<b>25" Rims Continued</b>	
750-15	58	255/70R225	110	61-1800-25	844
825-15	67	295/75R225	140	445/80R25	280
900-15	76	315/80R225	158	445/95R25	308
1000-15	88			525/80R25	362
				560/65R25	357
<u>Tire Size</u>	<u>Ounces</u>	<u>Tire Size</u>	<u>Ounces</u>	<u>Tire Size</u>	<u>Ounces</u>
<b>19.5" Rims</b>		<b>24" Rims</b>		<b>29" Rims</b>	
18-195	247	400R24	35	295-29	636
245/70R195	96	1200R24	148	295R29	636
		1200-24	148	3325-29	772
		1300R24	167	30/65-29	601
		1300-24	167		
<u>Tire Size</u>	<u>Ounces</u>	1400-24	186	<u>Tire Size</u>	<u>Ounces</u>
<b>20" Rims</b>		1400R24	186	<b>33" Rims</b>	
105-20	111	1600R24	226	335-33	821
125-20	143	1600-24	226	375-33	986
825-20	79			1800R33	318
900-20	89			1800-33	318
1000-20	103	<u>Tire Size</u>	<u>Ounces</u>	35/65-33	809
1000R20	103	<b>24.5" Rims</b>		35/65R33	809
1200-20	134	11R245	133		
1300-20	151	285/75R245	140		
1400-20	169				
1400R20	169	<u>Tire Size</u>	<u>Ounces</u>		
1600-20	207	<b>25" Rims</b>		<u>Tire Size</u>	<u>Ounces</u>
1600R20	207	155-25	220	<b>35" Rims</b>	
13/80R20	156	155R25	220	295-35	689
		175R25	264	2100R35	411
		175-25	264	2100-35	411
<u>Tire Size</u>	<u>Ounces</u>	205R25	337	2400R35	502
<b>21" Rims</b>		205-25	337	2400-35	502
1600-21	212	235R25	417	3325-35	831
100R21	212	235-25	417	3325R35	831
		265-25	505	3725R35	997
<u>Tire Size</u>	<u>Ounces</u>	265R25	505	3725-35	997
<b>22" Rims</b>		295R25	602		
1100-22	125	295-25	602	<u>Tire Size</u>	<u>Ounces</u>
		1400R25	190	<b>39" Rims</b>	
<u>Tire Size</u>	<u>Ounces</u>	1400-25	190	375R39	1052
<b>22.5" Rims</b>		1600R25	231	375-39	1052
11-225	126	1600-25	231	40/65-39	1072
11R225	126	1800-25	276	405/75R39	1190
15-225	199	1800R25	276	4125/70-39	1175
165-225	230	2100-25	349		
		22/65R25	347		

# APPLICATION CHARTS FOR HEAVY EQUIPMENT

*Use off-Road or Heavy Off-Road Product*

---

<u>Tire Size</u>	<u>Ounces</u>
<b>45" Rims</b>	
45/65-45	1372

<u>Tire Size</u>	<u>Ounces</u>
<b>49" Rims</b>	
1800-49	403
2400R49	601
2400-49	601
2700R49	712
2700-49	712

<u>Tire Size</u>	<u>Ounces</u>
<b>51" Rims</b>	
3000R51	848
3000-51	848
3300R51	977
3600R51	1113
3600-51	1113
50/65-51	1708

<u>Tire Size</u>	<u>Ounces</u>
<b>57" Rims</b>	
3700R57	1226
4000-57	1378
4000R57	1378
50/80-57	2017

# APPLICATION CHARTS FOR TRACTOR TRAILER TIRES

*Use On-Road Product*

<u>Tire Size</u>	<u>Ounces</u>	<u>Tire Size</u>	<u>Ounces</u>	<u>Tire Size</u>	<u>Ounces</u>
<b>15" Rims</b>		<b>20" Rims Continued</b>		<b>24" Rims</b>	
825R15	29	900R20	39	1100R24	58
1000R15	39	900-20	39	13.00-24	74
		9.50-20	42	18.00-24	120
<u>Tire Size</u>	<u>Ounces</u>	14/80R20	77	16.00-24	100
<b>16" Rims</b>		365/80R20	83	1400-24	82
750R16	27			11.00-24	58
LT215/85R16	34	<u>Tire Size</u>	<u>Ounces</u>	1200R24	66
LT235/85R16	39	<b>22" Rims</b>		10.00-24	51
		1000R22	48		
<u>Tire Size</u>	<u>Ounces</u>	1000-22	48	<u>Tire Size</u>	<u>Ounces</u>
<b>16.5" Rims</b>		1100-22	55	<b>24.5" Rims</b>	
875R165	34	1100R22	55	12R245	92
950R165	38	12.00-22	63	11R245	59
				11-245	59
<u>Tire Size</u>	<u>Ounces</u>	<u>Tire Size</u>	<u>Ounces</u>	285/75R245	62
<b>17.5" Rims</b>		<b>22.5" Rims</b>			
9R175	36	255/70R225	49		
10R175	42	275/70R225	54		
11R175	49	295/75R225	62		
8R175	31	275/80-22.5	58		
85R175	34	295/80R22.5	64		
215/75R175	34	315/80R225	70		
		18.00-22.5	116		
<u>Tire Size</u>	<u>Ounces</u>	385/65R225	85		
<b>19.5" Rims</b>		385/85-22.5	98		
8R195	33	425/65R225	99		
225/70R195	38	445/65R225	106		
245/70R195	42	450/65-22.5	108		
265/70R195	47	245/75R225	48		
		265/75R22	53		
<u>Tire Size</u>	<u>Ounces</u>	16.50-22.5	102		
<b>20" Rims</b>		15.00-22.5	88		
1000-20	46	10.30-22.5	51		
1000R20	46	8-225	36		
10.30-20	48	9R225	42		
10.50-20	49	13R225	71		
1100-20	52	10R225	49		
1100R20	52	10-225	49		
1200-20	59	11-225	56		
1200R20	59	11R225	56		
12.50-20	63	12R225	63		
1400R20	75	12.50-22.5	67		
750-20	31	11.50-22.5	60		
825R20	35				
825-20	35				

# APPLICATION CHARTS FOR LIGHT-DUTY TRUCKS AND TRAILERS

*Use On-Road Product*

<u>Tire Size</u>	<u>Ounces</u>	<u>Tire Size</u>	<u>Ounces</u>	<u>Tire Size</u>	<u>Ounces</u>
<b>12" Rims</b>		<b>13" Rims Continued</b>		<b>14" Rims Continued</b>	
155/R12	10	P185/70HR13	14	165/70R14	12
155/SR12	10	P185/80R13	14	P175/60R14	12
P145/80R12	10	P185/70R13	14	175/65R14	13
P155/80R12	11	P185/70HR13	14	P175/65R14	13
		P185/80R13	14	175/70R1400	13
		P185/80-13	14	175/70R14	13
		ST185/80R13	14	P175/70R70R14	13
		P195/60-13	14	P175/75R14	13
		P195/70R13	15	185/60R14	13
		P205/60R13	15	P185/60R14	13
		P205/60VR13	15	P185/60HR14	13
		P205/60HR13	15	185/65R14	14
		P205/70R13	16	P185/70R14	14
		P215/60-13	16	P185/70HR14	14
		P235/50-13	17	185/70SR14	14
				185/70R14	14
				P185/75R14	15
				P185/80D14	15
				P195/60HR14	14
				P195/60R14	14
				195/60R14	14
				195/65R14	15
				195/65VR14	15
				P195/65R14	15
				P195/70R14	15
				P195/75HR14	15
				195/70R14	15
				LT195/75R14	16
				P195/75R14	16
				P195/75D14	16
				205/55ZR14	15
				P205/60ZR14	15
				205/60VR14	15
				P205/60HR14	15
				P205/60R14	15
				P205/60VR14	15
				P205/70R14	16
				P205/70HR14	16
				P205/70VR14	16
				ST205/75R14	17
				P205/75R14	17
				P215/60VR14	16

# APPLICATION CHARTS FOR LIGHT-DUTY TRUCKS AND TRAILERS

*Use On-Road Product*

<u>Tire Size</u>	<u>Ounces</u>	<u>Tire Size</u>	<u>Ounces</u>	<u>Tire Size</u>	<u>Ounces</u>
<b>14" Rims Continued</b>		<b>15" Rims Continued</b>		<b>15" Rims Continued</b>	
P215/60R14	16	670-15	13	205/50R15	15
P215/60HR14	16	6.00-15	11	P205/50ZR15	15
P215/70HR14	18	6.40-15	12	205/55VR15	15
P215/70R14	18	700-15	14	P205/55R15	15
P215/75R14	18	700R15	14	205/55R15	15
P215/60VR14	16	750-15	15	205/60R15	16
P215/60R14	16	L78-15	17	P205/60R1590T	16
P215/60HR14	16	G78-15	17	205/60VR15	16
P215/70HR14	18	H78-15	17	P205/60R15	16
P215/70R14	18	F78-15	17	P205/65R15	17
P215/75R14	18	7.60-15	16	205/65R15	17
ST215/75R14	18	8.15-15	17	205/65VR15	17
P225/60HR14	18	8.25-15	18	P205/65R15	17
P225/70R14	19	9.00-15	20	P205/70R15	17
P225/75R14	19	9.50-15	22	ST205/75R15	18
P235/60R14	19	T125/70D15	09	P205/75R15	18
P235/60HR14	19	T125/70R15	09	ST205/75R15	18
P235/70-14	20	T12590R15	09	215/50ZR15	16
P245/60R14	20	T135/70D15	10	215/50R15	16
P245/70-14	21	T135/70R15	10	P215/60VR15	17
26.00x8.50-14	38	T135/80D15	10	215/60R15	17
27-8.50R14	39	T135/90D15	10	P215/60HR15	17
27.00x9.50-14	41	P185/65R15	14	P215/60R15	17
		185/65R15	14	P215/65HR15	18
<u>Tire Size</u>	<u>Ounces</u>	P185/70HR15	15	P215/65R15	18
<b>14.5" Rims</b>		195/50VR15	14	215/65R15	18
7-145	14	195/50HR15	14	P215/70HR15	18
8-145	17	P195/50R15	14	P215/70R15	18
9-145	20	195/60VR15	15	LT215/75R15	19
		P195/60HR15	15	P215/75R15	19
<u>Tire Size</u>	<u>Ounces</u>	P195/60R15	15	P225/50R15	17
<b>15" Rims</b>		P195/60VR15	15	P225/50VR15	17
10.00-15	24	195/60R15	15	P225/50ZR15	17
11.00-15	27	195/65R15	15	225/55R15	18
12.00-15	31	195/65VR15	15	P225/60R15	18
12.10-15	32	P195/65R15	15	225/60R15	18
12.50-15	33	195/65ZR15	15	225/60VR15	18
14.50-15	42	195/70R15	16	P225/60VR15	18
165SR15	52	P195/70R15	16	P225/70HR15	20
165R15	52	P195/75R15	16	P225/70R15	20
5.00-15	9	P195/75D15	16	P225/75R15	20
5.60-15	10	LT195/75R15	16	ST225/75R15	20
5.70-15	11	P205/50VR15	15	P235/50-15	18
5.90-15	11	205/50ZR15	15	P235/60VR15	19

# APPLICATION CHARTS FOR LIGHT-DUTY TRUCKS AND TRAILERS

*Use On-Road Product*

<u>Tire Size</u>	<u>Ounces</u>	<u>Tire Size</u>	<u>Ounces</u>	<u>Tire Size</u>	<u>Ounces</u>
<b>15" Rims Continued</b>		<b>15" Rims Continued</b>		<b>16" Rims Continued</b>	
235/60ZR15	19	33.00x14.50-15	38	P205/55ZR16	16
235/60VR15	19	35.00x11.50-15	32	P205/55VR16	16
P235/60R15	19	35-1250R15	34	P205/55R16	16
P235/65R15	20	35.00x14.50-15	40	205/55VR16	16
P23570R15	21	35.00x17.50-15	48	P215/60R16	18
235/70VR15	21	39.00x13.00-15	40	LT215/85R16	21
235/70VR15	21	39.00x18.00-15	55	225/50ZR16	18
235/70R15	21	57.00x8.50-15	38	P225/50VR16	18
P235/70HR15	21			225/50R16	18
P235/75R15	21	<u>Tire Size</u>	<u>Ounces</u>	P225/50R16	18
LT235/75R15	21	<b>16" Rims</b>		P225/50ZR16	18
23.00x9.00-15	16	10.00-16	24	225/50VR16	18
P245/50VR15	19	10.50-16	26	225/55R16	18
P245/60HR15	21	11.00-16	28	P225/55R16	18
P245/60R15	21	12.40-16	34	225/55ZR16	18
P245/60VR15	21	12.50-16	34	225/55VR16	18
P245/70R15	22	13.50-16	38	P225/55ZR16	18
P245/60HR15	21	14.00-16	41	P225/60ZR16	19
P245/60R15	21	17.50-16	58	225/60R16	19
P245/60VR15	21	18.40-16	63	P225/60R16	19
P245/70R15	22	205R16	75	LT225/75R16	21
P255/60HR15	22	5.50-16	10	P225/75R16	21
P255/60VR15	22	6.50-16	13	P235/55R16	19
P255/60R15	22	6.00-16	12	P235/60R16	20
P255/70R15	23	7.00-16	15	LT235/85R16	24
LT255/75R15	24	7.50-16	16	P235/85-16	24
25.007.50-15	15	7.50R16	16	P245/50R16	20
P265/50VR15	21	8.25-16	18	P245/50R1696V	20
P265/75R15	26	9.00-16	21	245/55VR16	21
P275/50-15	22	9.50-16	23	245/55ZR16	21
27.00x8.50-15	18	T125/70D16	09	P245/70R16	23
27.00x9.50-15	20	T125/80D16	09	245/70R16	23
29950R15	22	T125/90D16	10	LT245/75R16	24
27.00x10.50-15	22	T135/70D16	10	255/50VR16	21
29.00x12.50-15	28	T145/80R16	12	P255/50VR16	21
P295/50-15	25	T145/80D16	12	P255/50ZR16	21
30-950R15	22	T145/90D16	12	255/ZR16	21
31-1050R15	26	T155/80D16	13	P255/50R16	21
31-1150R15	28	T155/90D16	13	LT255/85R16	27
31.00x12.50-15	30	205/45ZR16	15	P265/50-16	22
31.0013.50-15	33	P205/50R16	16	LT265/75R16	27
31.00x15.50-15	38	205/55ZR16	16	31.00x10.50-16	26
32.00x11.50-15	29	P205/55HR16	16		
33-1250R1	32	205/55R16	16		

# APPLICATION CHARTS FOR LIGHT-DUTY TRUCKS AND TRAILERS

Use On-Road Product

<u>Tire Size</u>	<u>Ounces</u>	<u>Tire Size</u>	<u>Ounces</u>
<b>16.5" Rims</b>		<b>17.5" Rims</b>	
15.00X39.00-16.5	46	7.00-17.5	15
10-165	25	8-175	19
12-165	33	14-175	42
800R165	18	36.00X16.00-17.5	45
800-165	18		
875R165	20	<u>Tire Size</u>	<u>Ounces</u>
950R165	23	<b>18" Rims</b>	
31.00x11.50-16.5	28	700-18	16
33-1250R165	32	10.00-18	26
35.00x14.50-16.5	40	11.00-18	28
36-1250-165	35	12.50-18	36
37-1250R165	36	235/40ZR18	19
39.00x12.50-16.5	38	295/35ZR18	24

<u>Tire Size</u>	<u>Ounces</u>	<u>Tire Size</u>	<u>Ounces</u>
<b>17" Rims</b>		<b>19" Rims</b>	
7.00-17	15	255/40ZR19	22
8.25-17	19		
T125/80R17	10	<u>Tire Size</u>	<u>Ounces</u>
T155/70D17	13	<b>19.5" Rims</b>	
T155/70R17	13	8-195	20
215/50ZR17	17	8r195	20
235/45ZR17	19	15.00-19.5	49
P245/40ZR17	19	16.50-19.5	57
245/45ZR17	20	18.00-19.5	66
P245/45ZR17	20	19.50-19.5	75
P255/45ZR17	21		
255/45ZR17	21		
265/40ZR17	21		
P275/40ZR17	22		
P275/40R17	22		
P275/40VR17	22		
P285/35ZR17	22		
P285/40ZR17	23		
P315/35ZR17	26		
335/35ZR17	28		

# APPLICATION CHARTS FOR INDUSTRIAL EQUIPMENT

*Use Off-Road or Heavy Off-Road Product*

<u>Tire Size</u>	<u>Ounces</u>	<u>Tire Size</u>	<u>Ounces</u>	<u>Tire Size</u>	<u>Ounces</u>
<b>4" Rims</b>		<b>8" Rims Continued</b>		<b>12" Rims Continued</b>	
280-4	05	20-700-8	27	700-12	31
410-4	08	20.50x7.00-8	28	7.50-12	34
		20.50x10.00-8	40	14.50-12	96
<b><u>Tire Size</u></b>	<b><u>Ounces</u></b>	21.00x12.00-8	49	23-850-12	38
<b>5" Rims</b>		22-1100-8	48	23.00x9.50-12	43
340-5	07			23-1050-12	47
410-5	09	<b><u>Tire Size</u></b>	<b><u>Ounces</u></b>	24-1200-12	57
11-350-5	27	<b>9" Rims</b>		26-1200-12	61
11-400-5	30	6.00-9	21	27.00x10.00-12	53
11-450-5	32	690-9	26		
		21-8-9	33	<b><u>Tire Size</u></b>	<b><u>Ounces</u></b>
<b><u>Tire Size</u></b>	<b><u>Ounces</u></b>	22.00x12.00-9	52	<b>13" Rims</b>	
<b>6" Rims</b>		25.00x13.00-9	64	7.00-13	32
4.00-6	09			9.00-13	47
410-6	10	<b><u>Tire Size</u></b>	<b><u>Ounces</u></b>		
530-6	15	<b>10" Rims</b>		<b><u>Tire Size</u></b>	<b><u>Ounces</u></b>
4.10/4.50-6	05	3.00-10	09	<b>14" Rims</b>	
6.90/6.00-6	09	3.50-10	10	4.00-14	16
12.00x11.00-6	26	4.50-10	15	8.00-14.5	41
13-650-6	20	650-10	25	9.00-14	49
13-500-6	19	750L-10	31	9.50-14	53
15-600-6	23	750-10	31	13.00-14	86
16.00x4.50-6	14	900-10	42	26.00x8.50-14	43
		15.00-10	34	27.00x9.50-14	50
<b><u>Tire Size</u></b>	<b><u>Ounces</u></b>	20.50-10	42		
<b>7" Rims</b>		18-950-10	31	<b><u>Tire Size</u></b>	<b><u>Ounces</u></b>
4.50-7	12	20-800-10	31	<b>14.5" Rims</b>	
480-7	13	20-1200-10	47	7.00-14.5	34
		21-700-10	29	8.00-14.5	42
<b><u>Tire Size</u></b>	<b><u>Ounces</u></b>	23.00x8.00-10	36	9.00-14.5	49
<b>8" Rims</b>					
400-8	11	<b><u>Tire Size</u></b>	<b><u>Ounces</u></b>	<b><u>Tire Size</u></b>	<b><u>Ounces</u></b>
430-8	12	<b>10.5" Rims</b>		<b>15" Rims</b>	
480-8	14	23.00x10.5	41	5.50-15	25
570-8	19			5.60-15	26
6.00-8	20	<b><u>Tire Size</u></b>	<b><u>Ounces</u></b>	570-26	26
16.50-8	26	<b>11" Rims</b>		6.00-15	28
18.50-8	29	23.50x6.00-11	28	700-15	35
16-750-8	24			700L-15	39
18-950-8	34	<b><u>Tire Size</u></b>	<b><u>Ounces</u></b>	750-15	39
18-7-8	25	<b>12" Rims</b>		8.15-15	44
18-9-8	32	3.00-12	10	825-15	55
18-650-8	23	450-12	17	1000L-15	59
18-850-8	30	480-12	18	1100-15	68
20-1000-8	39	570-12	23	12.00-15	78

# APPLICATION CHARTS FOR INDUSTRIAL EQUIPMENT

*Use Off-Road or Heavy Off-Road Product*

<u>Tire Size</u>	<u>Ounces</u>	<u>Tire Size</u>	<u>Ounces</u>	<u>Tire Size</u>	<u>Ounces</u>
<b>15" Rim Continued</b>		<b>16.1" Rims Continued</b>		<b>20" Rims</b>	
12.10-15	79	14.50/75-16.1	108	6.50-20	38
12.50-15	83			7.00-20	42
14.50-15	105	<u>Tire Size</u>	<u>Ounces</u>	900-20	59
1450I-15	105	<b>16.5" Rims</b>		10.00-20	66
23.00x9.00-15	41	10-165	62	11.00-20	74
25-1250-15	41	12-165	81		
27-850-15	45	35.00x14.50-16.5	100	<u>Tire Size</u>	<u>Ounces</u>
27-1050-15	56	8.00-R16.5	45	<b>20" Rims Continued</b>	
28-9-15	49	8.75-R16.5	51		
28-13-15	71	9.50-R16.5	57	18.00-20	166
G29-10-15	57	31.00x11.50-16.5	70	24.00-20	264
31.00x10.50-15	64	33.00x12.50-16.5	81	47.00x25.00-20	231
31.00x11.50-15	70	36.00x11.50-16.5	88		
32.00x11.50-15	72	37.00x12.50-16.5	91		
33.00x14.50-15	94	39.00x12.50-16.5	96		
35.00x11.50-15	79	39.00x15.00-16.5	115		
35.00x14.50-15	100				
35.00x17.50-15	120	<u>Tire Size</u>	<u>Ounces</u>		
38-16-15	119	<b>17" Rims</b>			
39.00x13.00-15	100	8.25-17	48		
39.00x18.00-15	138	750-17	45		
<u>Tire Size</u>	<u>Ounces</u>	<u>Tire Size</u>	<u>Ounces</u>		
<b>16" Rims</b>		<b>17.5" Rims</b>			
700-16	35	7.00-17.5	38		
750-16	40	14-175	106		
8.25-16	46				
10.50-16	65	<u>Tire Size</u>	<u>Ounces</u>		
12.50-16	85	<b>18" Rims</b>			
13.50-16	96	7.00-18	39		
14L-16A	102	7.15-18	40		
14.00-16	102	8.25-18	49		
17.50-16	145				
18.40-16	158	<u>Tire Size</u>	<u>Ounces</u>		
31.00x10.50-16	137	<b>19" Rims</b>			
		4.00-19	20		
		6.00-19	33		
<u>Tire Size</u>	<u>Ounces</u>				
<b>16.1" Rims</b>		<u>Tire Size</u>	<u>Ounces</u>		
13.50-16.1	96	<b>19.5" Rims</b>			
14.00-16.1	102	15-195	124		
16.50-16.1	132				
18.40-16.1	158				
21.50-16.1	204				
38.00x19.00-16.1	142				
38.00x20.00-16.1	149				

# APPLICATION CHARTS FOR LAWN AND TURF EQUIPMENT

*Use Off-Road or Heavy Off-Road Product*

<b><u>Tire Size</u></b>	<b><u>Ounces</u></b>	<b><u>Tire Size</u></b>	<b><u>Ounces</u></b>
	<b>4" Rims</b>		<b>10" Rims Continued</b>
9-350-4	6	22-80010NH	35
		22-1100-10	48
<b><u>Tire Size</u></b>	<b><u>Ounces</u></b>	24-1100-10	52
	<b>5" Rims</b>	205-50-10	29
11-400-5	11	205-80-10	37
13-500-5	13		
		<b><u>Tire Size</u></b>	<b><u>Ounces</u></b>
<b><u>Tire Size</u></b>	<b><u>Ounces</u></b>		<b>11" Rims</b>
	<b>6" Rims</b>	AT23-8-11	36
800-6	28	AT24-9-11	42
13-500-6	13		
15-600-6	18	<b><u>Tire Size</u></b>	<b><u>Ounces</u></b>
			<b>12" Rims</b>
<b><u>Tire Size</u></b>	<b><u>Ounces</u></b>	480-12	18
	<b>8" Rims</b>	530-12	21
480-8	14	23-850-12	38
530-8	19	23-850-12NHS	38
16-650-8	20	23-1050-12NHS	38
16-750-8	24	23-1050-12	47
18-580-8	30	23-1200-12	61
18-950-8	34		
20-1000-8	39	<b><u>Tire Size</u></b>	<b><u>Ounces</u></b>
21-1100-8	43		<b>14" Rims</b>
AT22-9-8	39	25-850-14	42
22-1000-8	43		
22-1100-8	48	<b><u>Tire Size</u></b>	<b><u>Ounces</u></b>
165-65-8	21		<b>15" Rims</b>
185-85-8	31	25-750-15	37
		25-1050-15	52
<b><u>Tire Size</u></b>	<b><u>Ounces</u></b>	27-850-15	45
	<b>9" Rims</b>	27-950-15	50
690-9	26	27-1050-15	56
AT25-11-9	54	29-1250-15	71
25-1200-9	59	31-1250-15	76
		31-1350-15	82
<b><u>Tire Size</u></b>	<b><u>Ounces</u></b>	31-1550-15	94
	<b>10" Rims</b>	33-1250-15	81
650-10	25	36-1350-15	95
750-10	31		
20-800-10	31	<b><u>Tire Size</u></b>	<b><u>Ounces</u></b>
20-1000-10	39		<b>16" Rims</b>
20-1400-10	55	38-2000-16	149
AT21-7-10	29		
22-800-10NHS	35		

# APPLICATION CHARTS FOR AGRICULTURAL EQUIPMENT

*Use Off-Road or Heavy Off-Road Product*

<u>Tire Size</u>	<u>Ounces</u>	<u>Tire Size</u>	<u>Ounces</u>	<u>Tire Size</u>	<u>Ounces</u>
<b>8" Rims</b>		<b>15" Rims Continued</b>		<b>18" Rims Continued</b>	
400-8	11	760-15	59	130/65-18	134
480-8	14	1000-15	88		
		700/760-15	62	<u>Tire Size</u>	<u>Ounces</u>
<u>Tire Size</u>	<u>Ounces</u>	<u>Tire Size</u>	<u>Ounces</u>	<b>18.1" Rims</b>	
<b>9" Rims</b>		<b>16" Rims</b>		125/80-1810	126
400-9	12	7-16	55	<u>Tire Size</u>	<u>Ounces</u>
<u>Tire Size</u>	<u>Ounces</u>	8-16	66	<b>19.5" Rims</b>	
<b>10" Rims</b>		11L-16	105	40-19-195	224
750-10	31	72-16	57		
900-10	42	83-16	70	<u>Tire Size</u>	<u>Ounces</u>
		95-16	85	<b>20" Rims</b>	
<u>Tire Size</u>	<u>Ounces</u>	112-16	108	112R20	121
<b>12" Rims</b>		124-16	126	750-20	69
5-12	19	125L-16	128	95-20	96
6-12	25	550-16	39	950-20	96
7-12	31	600-16	44	38-1400-20	157
400-12	14	650-16	49	41-1400-20	169
700-12	31	750-16	60	42-2500-20	309
100/80-12	14	800-16	66	44-1800-20	233
		900-16	78	44-4100-20	531
<u>Tire Size</u>	<u>Ounces</u>	1000-16	91	48-2500-20	353
<b>14" Rims</b>		1100-16	105	48-3100-20	438
600-14	41				
7-14	51	<u>Tire Size</u>	<u>Ounces</u>	<u>Tire Size</u>	<u>Ounces</u>
750-14	67	<b>16.1" Rims</b>		<b>21" Rims</b>	
85L-14	56	14L-16.1	153	5.00-21	42
95L-14	79	19L-16.1	250	6.00-87	53
11L-14	99	136-16.1	146	24.00-21	403
		165L-16.1	199	27.25-21	497
<u>Tire Size</u>	<u>Ounces</u>	184-161	237	12.00-21	138
<b>15" Rims</b>		215L-161	306		
11L15FI	102	1350-161	145	<u>Tire Size</u>	<u>Ounces</u>
11L-15	102	145/75-161	78	<b>22" Rims</b>	
75L-15	58			7.50-22	73
95L15FI	82	<u>Tire Size</u>	<u>Ounces</u>	8.50-22	87
95L-15	82	<b>17.5" Rims</b>			
125L-15	124	36-16-175	170	<u>Tire Size</u>	<u>Ounces</u>
125L15FI	124			<b>24" Rims</b>	
400-15	25	<u>Tire Size</u>	<u>Ounces</u>	7.50-24	78
500-15	33	<b>18" Rims</b>		8.30-24	89
590-15	41	400-18	19	10.00-24	115
640-15	46	750-18	65	11.40-24	138
670-15	49	105/80-18	19	18.00-24	270
		125/80-18	108	18.30-24	277